

# Refrigerators and freezers

up to 400 litres



**GRAM**

Innovative and functional food storage

# Choose Gram – and then forget all about it

People running commercial kitchens have been looking to Gram Commercial for the design and development of the best freezing and refrigeration solutions for more than a century.

Creative use of technology and a thorough insight into the needs of commercial kitchens are the foundation of our continuous product development - where functionality is carefully integrated with quality, design and environmental considerations.

But well-thought-out design and ideal hygienic food storage is only part of the story - Gram is also renowned for its leading edge technology. We aim to develop products where cleaning demands are easy to meet, energy consumption is the lowest possible, reliability the highest possible, and durability the longest possible.

The object is to provide you with total assurance - so that you have more time and energy to attend to the more important things in your kitchen. Gram products are made to work - year after year. As soon as you have introduced Gram into your kitchen you won't give it another thought.

# What you get when you choose Gram



The best reason for choosing Gram is of course that the wide Gram range allows you to find precisely the product or products to meet your needs with respect to design, function and layout. This brochure presents the COMPACT series of refrigerators and freezers with capacities of up to 400 litres.

The models are compact, versatile cabinets in faultless quality that are extremely economic to purchase and run.

## - and the rest of the large Gram family

Other products in the Gram range include refrigerators and freezers with capacities up to 1400 litres, refrigerated and freezer counters and saladettes, as well as a wide selection of special products designed for use in commercial kitchens, e.g. roll-in cabinets, defrosting and chilling cabinets, blast chillers, refrigerated and deep-freeze store-rooms.

## Consistent environmental policy in practice

At Gram we aim to minimise the environmental load at all levels. This is achieved by developing low-energy products and using environmentally sound refrigerants and foaming agents.

## We are where you are

Gram co-operates with the best and most professional dealers. Therefore you are sure to get fast and efficient service wherever you are.




## Free Extended Warranties

Stainless COMPACT versions are covered by a three year warranty. White COMPACT versions are covered by a two year warranty. Any servicing requirements are carried out by local Gram service agents using original Gram parts with the back up of the Gram technical department.

## Spare parts for up to 10 years

Gram guarantees that spare parts will be available for all its products for a minimum 10 years after purchase.



## On-line customer information

Detailed information on all Gram commercial products is available at [www.gram-commercial.com](http://www.gram-commercial.com). Brochures, operating instructions, information about Gram Commercial, news and useful tips are also available at the website.



# The new Gram



generation



# Easy to find room where space is limited...

The models in the COMPACT series are versatile cabinets in faultless quality that are extremely economic to purchase and run. The series consists of four refrigerators, four freezers and four glass-doored refrigerators in stainless or white finish. With their elegant, functional and stylish design, the cabinets fit in well anywhere – even where space is limited.

COMPACT cabinets provide maximum storage capacity, but take up very little floor space thanks to their outside width of 60 cm and depth of 62 cm. Cabinets are available in two heights – 83 cm and 178 cm – in stainless or white finish and grey or white plastic inner surfaces. A variety of needs can thus be met.

## Flexible combinations

Position the fridge and freezer in line in a "side-by-side" solution – or stacked on top of each other. Build them in under a worktop or into a wall – or position them as free-standing, independent units. Choose between stainless and white finish. Compact Gram cabinets can be combined to meet your needs and layout options.

## Example of a "column" combination



Refrigerators and freezers have the same outside dimensions and are thus easily combined. The combination shown: F 200 R and K 200 R with 134-litre freezer and 166-litre refrigerator. Dimensions: 59.5 x 62 x 174 cm (W x D x H).

## Examples of "side-by-side" combinations



Refrigerators and freezers of equal heights can be combined. The combinations shown are: K 400 R and F 400 R with 387-litre refrigerator and 332-litre freezer. Dimensions: 119 x 62 x 178 cm (W x D x H).



Two KG 200 R "side-by-side". Dimensions: 119 x 62 x 83 cm (W x D x H).

# Practical details



## Simple controls

Cabinet temperature is easily set and checked on the panel above the door. The panel also protects the door sealing strip from dirt.



## Environment-friendly design

COMPACT cabinets are manufactured using environmentally sound technology. Insulation is based on cyclopentane.



## Accurate control

The electronic thermostat ensures a uniform, correct temperature, keeping items stored in the cabinet fresh.



## Easy cleaning

The inside walls of the cabinet are made of moulded plastic, making them easy to clean.




## Door lock

All COMPACT models are equipped with a door lock, ensuring that stocks are safe after closing time.



## Removable gaskets

The door gasket keeps in the cold. For cleaning, it is easy to remove without the use of tools – simple and hygienic.



## Functional design

The reversible door has an ergonomic, easy-grip handle.



## Robust, stable wire shelves

In COMPACT refrigerators, the heavy-duty, movable wire shelves are mounted in U-shaped rails moulded into the plastic walls. The rails prevent the shelves from tilting when pulled out.



## Overview

Refrigerators are available with a tempered thermal glass door. Should the door be shattered, no sharp splinters are formed.



## Sturdy pull-out baskets

In COMPACT freezers, the spacious pull-out baskets allow easy access – also to heavy frozen foods. A stopper prevents the baskets from tipping when pulled out.



## Strength

The powerful refrigerating system is designed to withstand heavy day-to-day loads. During peak loading, when other refrigerators would give up, the correct temperature is kept stable throughout the cabinet.



## Lockable castors

Low cabinets are equipped with adjustable skids at the front and wheels at the rear. High cabinets are fitted with lockable castors.

# Fits perfectly under a worktop

Low COMPACT models are designed to fit under worktops in commercial workplaces. With their width of 60 cm, depth of 62 cm and height of just 83 cm, the cabinets are ideal for building in beneath worktops. Raw materials are thus close at hand when needed.

Cabinets are available in stainless or white finish. In stainless cabinets, inner walls are grey plastic, moulded in one piece. Wire shelves in stainless refrigerators and wire baskets in stainless freezers are also grey. In white cabinets, inner walls are white plastic, and wire shelves and baskets are also white.

The list of equipment is long and includes, among many other things, an electronic thermostat, external thermometer, door lock and suspension kit. The table below contains a complete equipment list.



## Refrigerators and freezers, 83 cm in height

Product type		COMPACT K 200 R	COMPACT K 200 L	COMPACT F 200 R	COMPACT F 200 L
		Refrigerator	Refrigerator	Freezer	Freezer
Temperature range		-1 / +18°C	-1 / +18°C	-26 / -10°C	-26 / -10°C
Refrigeration system		Ventilated	Ventilated	Static	Static
Finish	Outside	Stainless	White	Stainless	White
	Inside	Grey ABS	White ABS	Grey ABS	White ABS
Fittings	Wire shelves (539x450 mm)	2	2		
	Wire shelves (539x351 mm)	1	1		
	Wire baskets, large			1	1
	Wire baskets, small			1	1

External equipment	Right-hinged, reversible door	●	●	●	●
	Door lock	●	●	●	●
	Easy-grip door handle	●	●	●	●
	Digital temperature display	●	●	●	●
	Adjustable skids at front, wheels at rear	●	●	●	●
	Pressure equalisation valve			●	●
	Suspension kit	○	○	○	○
Internal equipment	Data logger	○	○	○	○
	Additional wire shelves	○	○		

● Standard equipment    ○ Optional equipment





**COMPACT  
200 R**

# A compact choice with exceptional capacity

High COMPACT models are versatile refrigerators and freezers suitable for storing products in commercial workplaces. The cabinets are extremely spacious, despite being only 60 cm wide and 62 cm deep. The lockable castors facilitate cleaning beneath the cabinets and the air duct built into the outside rear wall ensures sufficient ventilation, even when cabinets are installed against a wall.

Cabinets are available in stainless or white finish. In stainless cabinets, inner walls are grey plastic, moulded in one piece. Wire shelves in stainless refrigerators and wire baskets in stainless freezers are also grey. In white cabinets, inner walls are white plastic, and wire shelves and baskets are also white.

The list of equipment is long and includes, among many other things, an electronic thermostat, external thermometer, door lock and suspension kit. The table below contains a complete equipment list.



## Refrigerators and freezers, 178 cm in height

Product type		COMPACT K 400 R	COMPACT K 400 L	COMPACT F 400 R	COMPACT F 400 L
		Refrigerator	Refrigerator	Freezer	Freezer
Temperature range		-1 / +18°C	-1 / +18°C	-26 / -10°C	-26 / -10°C
Refrigeration system		Ventilated	Ventilated	Static	Static
Finish	Outside	Stainless	White	Stainless	White
	Inside	Grey ABS	White ABS	Grey ABS	White ABS
Fittings	Wire shelves (539x450 mm)	5	5		
	Wire shelves (539x351 mm)	1	1		
	Wire baskets, large			5	5
	Wire baskets, small			1	1

External equipment	Right-hinged, reversible door	●	●	●	●
	Door lock	●	●	●	●
	Easy-grip door handle	●	●	●	●
	Digital temperature display	●	●	●	●
	Stainless legs, adjustable from 135 to 200 mm	●	●	●	●
	Pressure equalisation valve	●	●	●	●
	Suspension kit	○	○	○	○
Internal equipment	Data logger	○	○	○	○
	Additional wire shelves	○	○		

● Standard equipment    ○ Optional equipment



**COMPACT  
400 R**

# Visibility is enhanced by glass

Glass-doored refrigerators are ideal for storing items at commercial workplaces and for displaying product ranges. Items are highly visible and easily accessible.

Cabinets are available in stainless or white finish. The inner cabinet walls are white plastic, moulded in one piece, and the wire shelves are also white.

The list of equipment is long and includes, among many other things, an electronic thermostat, external thermometer, door lock, suspension kit and display lighting. The table below contains a complete equipment list.



## Glass-doored refrigerators

Product type		COMPACT KG 200 R	COMPACT KG 200 L	COMPACT KG 400 R	COMPACT KG 400 L
		Refrigerator with glass door			
Temperature range		-1 / +18°C	-1 / +18°C	-1 / +18°C	-1 / +18°C
Refrigeration system		Ventilated	Ventilated	Ventilated	Ventilated
Finish	Outside	Stainless	White	Stainless	White
	Inside	White ABS	White ABS	White ABS	White ABS
Fittings	Wire shelves (539x450 mm)	2	2	5	5
	Wire shelves (539x351 mm)	1	1	1	1

External equipment	Right-hinged, reversible glass door	●	●	●	●
	Door lock	●	●	●	●
	Easy-grip door handle	●	●	●	●
	Digital temperature display	●	●	●	●
	Adjustable skids at front, wheels at rear	●	●		
	Stainless legs, adjustable from 135 to 200 mm			●	●
	Pressure equalisation valve			●	●
	Suspension kit	○	○	○	○
Internal equipment	Display lighting	●	●	●	●
	Data logger	○	○	○	○
	Additional wire shelves	○	○	○	○
	Angled shelves	○	○	○	○

● Standard equipment    ○ Optional equipment



**COMPACT  
KG 200/400 R**

C O M P A C T

## Technical data



		K 200 R	K 200 L	K 400 R	K 400 L
Temperature range	°C	-1/+18	-1/+18	-1/+18	-1/+18
Refrigerating capacity at -10°C	W	118	118	226	226
Refrigerating capacity at -25°C	W				
Energy consumption	kWh/24 h	1.0	1.0	2.1	2.1
Electrical connection	V/Hz	230/50			
Wattage	W	102	102	187	187
Amperage	A	0.7	0.7	1.3	1.3
Ambient temperature, min./max.	°C	+16/+35			
Capacity, gross	l	166	166	387	387
Capacity, net	l	161	161	377	377
W x D	mm	595 x 620			
H	mm	830	830	1780	1780
Diagonal	mm	1021	1021	1877	1877
Weight, gross	kg	46	46	83	83
Sound level	dB(A)	38.2	38.2	38.7	38.7

Data to EN 441. Gram reserves the right to alter specifications without prior notice.

## Freezers

## Glas-doored refrigerators

Freezers				Glas-doored refrigerators			
F 200 R	F 200 L	F 400 R	F 400 L	KG 200 R	KG 200 L	KG 400 R	KG 400 L
-26/-10	-26/-10	-26/-10	-26/-10	-1/+18	-1/+18	-1/+18	-1/+18
				118	118	226	226
121	121	195	195				
1.3	1.3	1.3	1.3	2.2	2.2	3.5	3.5
230/50				230/50			
91	91	112	112	126	126	217	217
0.4	0.4	0.4	0.4	1.0	1.0	1.6	1.6
+16/+35				+16/+35			
134	134	332	332	166	166	387	387
122	122	312	312	161	161	377	377
595 x 620				595 x 620			
830	830	1780	1780	830	830	1780	1780
1021	1021	1877	1877	1021	1021	1877	1877
50	50	92	92	46	46	94	94
33.4	33.4	40.8	40.8	38.6	38.6	40.8	40.8

# Contact

## United Kingdom

Gram (UK) Ltd.  
2 The Technology Centre  
London Road  
Swanley  
Kent BR8 7AG  
Tel.: +44 1322 616900  
Fax: +44 1322 616901  
e-mail: info@gramuk.co.uk

## Denmark

Head Office:  
Gram Commercial A/S  
Aage Grams Vej 1  
DK-6500 Vojens  
Tel.: +45 73 20 12 20  
Fax: +45 73 20 12 01  
e-mail: info@gram-commercial.com

## Sweden

Gram Commercial  
Box 5157  
S-20071 Malmö  
Tel.: +46 40 98 78 48  
Fax: +46 40 98 78 49  
e-mail: info@gram-commercial.com

## Norway

Gram Commercial NUF  
P.b. 44  
N-1970 Hemnes  
Tel.: +47 22 88 17 50  
Fax: +47 22 88 17 51  
e-mail: info@gram-commercial.com

## Germany

Gram Deutschland GmbH  
Holztorstraße 60  
D-31157 Sarstedt  
Tel.: +49 5066 - 60 46 - 0  
Fax: +49 5066 - 60 46 - 49  
e-mail: info@gram-commercial.com

## The Netherlands

Gram Nederland B.V.  
Postbus 601  
Twentepoort West 62  
NL-7906 RD Almelo  
Tel.: +31 546 454252  
Fax: +31 546 813455  
e-mail: info@gram.nl

[www.gram-commercial.com](http://www.gram-commercial.com)



## Facts about us

Gram Commercial A/S develops and produces refrigerators and freezers for commercial kitchens. With our head office in Vojens, Denmark, and an extensive network of dealers around the world, we provide expert local service to our customers everywhere.

Dealer